

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	405	(717/109).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/02/12 13:06
L2	1518	(717/106-109).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/02/12 13:06
L3	3703	((717/106-113) or (715/700) or (705/30)).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/02/12 13:20
L4	206400	user adj interface	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/12 13:14
L5	564	user adj interface near2 class	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/12 13:14
L6	982	3 and "45"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/12 13:14
L7	56	3 and 5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/12 13:15
L8	54363	accounts and 4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/12 13:15
L9	1292	accounts and 3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/12 13:15

## EAST Search History

L10	216	accounts and 5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/12 13:15
L11	24	3 and 10	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/12 13:15
L12	4205	((717/106-113) or (715/700,762) or (705/30)).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/02/12 13:24
L13	550	(715/762).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/02/12 13:24
L14	27	5 and 13	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/12 13:24
S1	1	("20010037490").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/12/28 07:51
S2	1	("5950001").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/12/28 07:55
S3	6	((("5,950,001") or ("6,041,312") or ("6,115,690") or ("5,594,642") or ("5,428,791") or ("6,421,822"))).PN. or (2001/0037490).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/12/28 07:56

[Sign in](#)

Google

[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)

user interface class handler account

Search

[Advanced Search](#)  
[Preferences](#)**Web**Results 1 - 10 of about 1,010,000 for user interface class handler account. (0.14 seconds)

Tip: Save time by hitting the return key instead of clicking on "search"

Sponsored Links

**PHPXRef 0.6 : TikiWiki Release 1.9 : Full Variable Index**

... \$GUI Definitions: 1 References: 12; \$GregorianCalendar Definitions: 2 References: ... \$handle Definitions: 16 References: 86; \$handler Definitions: 18 ...

de.tikiwiki.org/xref-BRANCH-1-9/\_variables/index.html - 1013k -

[Cached](#) - [Similar pages](#)**User Interface Design**Professional UI Design since 1992 - Motorola, Intel, Sun, Autodesk, etc  
www.rocketcom.com**User Interface Design**Innovative **user interface** designs and e-business solutions  
www.redwhale.com**VIRTUAL USER SYSTEM API: Class List**CAccountOdbcIcf, The **class** is an **interface** to VUS data via ODBC ...CCommandAccount, The **class** is vus-account command **handler** ...vus.psnc.pl/dokumentacja/annotated.html - 7k - [Cached](#) - [Similar pages](#)**Chapter 6 Identity Manager SPE User Interface**The schema map defines all the **account** attributes required for the **user** pages. ... The features, such as page processor **class** and view **handler**, ...docs.sun.com/source/819-6539/user\_pages\_overview.html - 37k - [Cached](#) - [Similar pages](#)**6.4. Consistency and Hidden Implementations**Implementations; // BaseDao using IBatisNet.Test.Domain; // **Account**. The DAO will inherit from our BaseDao **class** and implement our IAccountDao **interface**. ...ibatis.apache.org/docs/dotnet/dataaccess/ch06s04.html - 14k - [Cached](#) - [Similar pages](#)**ASP.NET.4GuysFromRolla.com: Creating a Step-by-Step User Interface ...**The CreateUserWizard control, as its name implies, provides an **interface** for a **user** to create a new **account**. This control, by default, prompts the **user** for ...aspnet.4guysfromrolla.com/articles/062806-1.aspx - 79k - [Cached](#) - [Similar pages](#)**Handling Document Library Events**A new instance of an event **handler class** is created for each event. ... When an end **user** creates a library through the UI from a list definition that ...msdn2.microsoft.com/en-us/library/ms868605.aspx - 27k - [Cached](#) - [Similar pages](#)**ChangePassword Class (System.Web.UI.WebControls)**Note: This **class** is new in the .NET Framework version 2.0. Provides a **user interface** that enable users to change their Web site password. Namespace: System. ...

msdn2.microsoft.com/en-us/system.web.ui.webcontrols.changepassword(VS:80).aspx - 35k

- [Cached](#) - [Similar pages](#)**5.4.2 Defining the callbacks**This **handler** simply informs the **user** of the exception using the CAPI function ... Finally, the **account interface** is removed from the bank **interface**. ...

www.lispworks.com/documentation/lw43/CORBA/html/corba-46.htm - 17k -

[Cached](#) - [Similar pages](#)**libkopete: Class List (libkopete)**Kopete::PasswordedAccount, An **account** requiring a password to connect.Kopete::UI::PasswordWidget · Kopete::Plugin, Base **class** for all plugins or protocols ...

developer.kde.org/documentation/library/3.5-api/kdenetwork-


[Subscribe \(Full Service\)](#) [Register \(Limited Service, Free\)](#) [Login](#)

 Search: ☒ The ACM Digital Library ☐ The Guide



[Feedback](#) [Report a problem](#) [Satisfaction survey](#)

 Terms used **user interface class handler account**

 Found **95,994** of **196,064**

Sort results by


[Save results to a Binder](#)
[Try an Advanced Search](#)
[Try this search in The ACM Guide](#)

Display results


[Search Tips](#)

[Open results in a new window](#)

Results 1 - 20 of 200

 Result page: [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [next](#)

Best 200 shown

 Relevance scale ☐ ☐ ☐ ☐ ☐

### 1 [Fast detection of communication patterns in distributed executions](#)

Thomas Kunz, Michiel F. H. Seuren

 November 1997 **Proceedings of the 1997 conference of the Centre for Advanced Studies on Collaborative research CASCON '97**

Publisher: IBM Press

Full text available: pdf(4.21 MB)

 Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

Understanding distributed applications is a tedious and difficult task. Visualizations based on process-time diagrams are often used to obtain a better understanding of the execution of the application. The visualization tool we use is Poet, an event tracer developed at the University of Waterloo. However, these diagrams are often very complex and do not provide the user with the desired overview of the application. In our experience, such tools display repeated occurrences of non-trivial commun ...

### 2 [User interfaces: DIAL: a programming language for data intensive applications](#)



Michael Hammer, Brian Berkowitz

 May 1980 **Proceedings of the 1980 ACM SIGMOD international conference on Management of data SIGMOD '80**

Publisher: ACM Press

Full text available: pdf(1.92 MB)

 Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#)

DIAL is a problem-oriented and high-level programming language oriented towards database applications. It integrates into a unified framework database primitives and computational facilities, so that an application programmer will deal with a single coherent language. The design of DIAL is based on the premise that in order to have a meaningful impact on the construction of application software, a database programming language should eschew generality and focus on what is unique about the applic ...

### 3 [Progress in building user interface toolkits: the world according to XIT](#)



Jürgen Herczeg, Hubertus Hohl, Matthias Ressel

 December 1992 **Proceedings of the 5th annual ACM symposium on User interface software and technology UIST '92**

Publisher: ACM Press

Full text available: pdf(1.05 MB)

 Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

User interface toolkits and higher-level tools built on top of them play an ever increasing part in developing graphical user interfaces. This paper describes the XIT system, a user interface development tool for the X Window System, based on Common Lisp, comprising

[Home](#) | [Login](#) | [Logout](#) | [Access Information](#) | [Alerts](#) |

Welcome United States Patent and Trademark Office

[Search Results](#)[BROWSE](#)[SEARCH](#)[IEEE XPLORE GUIDE](#)

Results for "((user interface class handler account)&lt;in&gt;pdfdata)"

e-mail

Your search matched 0 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by **Relevance** in **Descending** order.

## » Search Options

[View Session History](#)[New Search](#)

## Modify Search

Search

☐ Check to search only within this results setDisplay Format: ☒ Citation ☐ Citation & Abstract

## » Key

IEEE JNL IEEE Journal or Magazine

IET JNL IET Journal or Magazine

IEEE CNF IEEE Conference Proceeding

IET CNF IET Conference Proceeding

IEEE STD IEEE Standard

**No results were found.**

Please edit your search criteria and try again. Refer to the Help pages if you need assistance search.

Indexed by  
 Inspec[Help](#) [Contact Us](#) [Privacy &](#)

© Copyright 2006 IEEE -